

It's sure to be compli.



Ready to plug-in

Compact

Dependable

Powerful

80
YEARS
QUALITY

For every application, every requirement, every task.

Whether for apartment houses, houseboats, or business establishments: compli packaged sewage disposal units from Jung Pumpen work perfectly anytime, anywhere – and have therefore been the first choice for many years when it comes to reliable wastewater disposal.

However different the requirements, our packaged sewage disposal units match their diversity. And yet they all have something in common: they are simple to operate and maintain, and are characterised by their highly flexible connection possibilities. In short: compli packaged sewage disposal units operate as reliably and powerfully as one could expect of the market leader.



compli 100 – for special applications

This packaged sewage disposal unit, with the MultiCut cutting system, was specially developed for the disposal of wastewater from weekend bungalows, houseboats and mobile sanitary units. The MultiCut cutting system breaks up the typical solid components found in domestic wastewater, enabling the use of smaller diameter pressure pipes.



compli 400 – the first choice for more and more houses

Easy to operate, space-saving assembly, easy installation – it is no coincidence that the compli 400 is already an inherent part of the wastewater disposal system in ever more single-family houses. Even in flood prone areas this floodable system continues to dispose of domestic wastewater reliably and around the clock.



compli 500 – for those who want more

For larger wastewater flows, the compli 500 ensures reliable disposal with a larger storage volume (100 l). As for all compli systems, the user-friendly controls guarantee dependable operation. Different motor ratings are available to suit the particular performance requirements.



compli 1000 – for reliability to the power of two

For several dwellings or for businesses such as hotels, pubs or restaurants, not only more power but also more reliability is required. The compli 1000 is therefore a double system with two pumps on one tank. These pumps operate alternately, or work together during periods of peak flow.

compli lifting systems – quality that counts.



- **ready to plug-in**
...no electrician required
...also available with swing-type check valve

- **height-adjustable clamping flange**
...quick adjustment to suit the wastewater situation on site

- **easy installation**
...due to flexible connection possibilities

- **protection from moisture penetration**
...due to moisture sealed cable inlet

- **inlet-optimised tank base**
...less maintenance required

- **large cleaning opening**
...maintenance-friendly

- **smooth running and quiet**
...due to cast support platform

- **guided float switch**
...for reliable, clearly defined switching points

- **easy-to-operate controls**
...clear layout of display and control elements

- **LGA (Bavarian State Institute of Trade) equipment certification**



- **all components “made in Germany”**

- **further information regarding packaged sewage disposal units at www.jung-pumpen.de**



Height-adjustable clamping flange



PVC inlet sluice valve, DN 100, with pipe stubs bonded in, for the time-saving and space-saving direct connection to the inlet clamping flange..